

RECEIVED

Page 1 of 10

MAY 05 2003

TECH CENTER



1600

OK / #23

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/747,029B

DATE: 04/24/2003

TIME: 13:55:45

Input Set : A:\INNS031.ST25.txt

Output Set: N:\CRF4\04242003\I747029B.raw

3 <110> APPLICANT: Union, Ann
4 Moereels, Henri
5 Meheus, Lydie
7 <120> TITLE OF INVENTION: PEPTIDES DESIGNED FOR THE DIAGNOSIS AND TREATMENT OF
RHEUMATOID
8 ARTHRITIS
10 <130> FILE REFERENCE: 11362.0031NPUS00 INNS:031
12 <140> CURRENT APPLICATION NUMBER: US 09/747,029B
13 <141> CURRENT FILING DATE: 2000-12-21
15 <150> PRIOR APPLICATION NUMBER: EP 00870195.5
16 <151> PRIOR FILING DATE: 2000-09-08
18 <150> PRIOR APPLICATION NUMBER: EP 99870280.7
19 <151> PRIOR FILING DATE: 1999-12-21
21 <160> NUMBER OF SEQ ID NOS: 24
23 <170> SOFTWARE: PatentIn version 3.2
25 <210> SEQ ID NO: 1
26 <211> LENGTH: 18
27 <212> TYPE: PRT
28 <213> ORGANISM: Artificial sequence
30 <220> FEATURE:
31 <223> OTHER INFORMATION: Synthetic Peptides
34 <220> FEATURE:
35 <221> NAME/KEY: MISC_FEATURE
36 <222> LOCATION: (1)..(3)
37 <223> OTHER INFORMATION: Xaa represents Ser, Thr, Asp, Glu, Asn, Gln, His, Lys or Arg
39 <220> FEATURE:
40 <221> NAME/KEY: MISC_FEATURE
41 <222> LOCATION: (4)..(4)
42 <223> OTHER INFORMATION: Xaa represents Ile, Leu, Val, Ala or Met
44 <220> FEATURE:
45 <221> NAME/KEY: MISC_FEATURE
46 <222> LOCATION: (5)..(5)
47 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or
Trp
49 <220> FEATURE:
50 <221> NAME/KEY: MISC_FEATURE
51 <222> LOCATION: (6)..(6)
52 <223> OTHER INFORMATION: Xaa represents Gly
54 <220> FEATURE:
55 <221> NAME/KEY: MISC_FEATURE
56 <222> LOCATION: (7)..(7)
57 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or
Trp
59 <220> FEATURE:

P.8

ENTERED

60 <221> NAME/KEY: MISC_FEATURE
61 <222> LOCATION: (8)..(8)

RAW SEQUENCE LISTING

DATE: 04/24/2003

PATENT APPLICATION: US/09/747,029B

TIME: 13:55:45

Input Set : A:\INNS031.ST25.txt

Output Set: N:\CRF4\04242003\I747029B.raw

62 <223> OTHER INFORMATION: Xaa represents Pro or Gly
64 <220> FEATURE:
65 <221> NAME/KEY: MISC_FEATURE
66 <222> LOCATION: (10)..(10)
67 <223> OTHER INFORMATION: Xaa represents Ser, Thr, Asp, Gly
69 <220> FEATURE:
70 <221> NAME/KEY: MISC_FEATURE
71 <222> LOCATION: (11)..(11)
72 <223> OTHER INFORMATION: Xaa represents Citrulline, Gly, Ser or Thr
74 <220> FEATURE:
75 <221> NAME/KEY: MISC_FEATURE
76 <222> LOCATION: (12)..(12)
77 <223> OTHER INFORMATION: Xaa represents Citrulline
79 <220> FEATURE:
80 <221> NAME/KEY: MISC_FEATURE
81 <222> LOCATION: (13)..(13)
82 <223> OTHER INFORMATION: Xaa represents Gly
84 <220> FEATURE:
85 <221> NAME/KEY: MISC_FEATURE
86 <222> LOCATION: (14)..(14)
87 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or
Trp
89 <220> FEATURE:
90 <221> NAME/KEY: MISC_FEATURE
91 <222> LOCATION: (15)..(15)
92 <223> OTHER INFORMATION: Xaa represent Arg, Lys, His, Asp, Glu, Ser, Thr, Gln, Asn,
Tyr,
93 Phe or Trp
95 <220> FEATURE:
96 <221> NAME/KEY: MISC_FEATURE
97 <222> LOCATION: (17)..(17)
98 <223> OTHER INFORMATION: Xaa represents Gly
100 <220> FEATURE:
101 <221> NAME/KEY: MISC_FEATURE
102 <222> LOCATION: (18)..(18)
103 <223> OTHER INFORMATION: Xaa represents Tyr, His, Lys, Arg, Asp, Glu, Ser, Thr, Gln,
Asn,
104 Phe, Trp
106 <400> SEQUENCE: 1
W--> 108 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Cys
109 1 5 10 15
112 Xaa Xaa
116 <210> SEQ ID NO: 2
117 <211> LENGTH: 15
118 <212> TYPE: PRT
119 <213> ORGANISM: Artificial sequence
121 <220> FEATURE:
122 <223> OTHER INFORMATION: Synthetic Peptides
125 <220> FEATURE:
126 <221> NAME/KEY: MISC_FEATURE
127 <222> LOCATION: (1)..(1)
128 <223> OTHER INFORMATION: Xaa represents Ile, Leu, Val, Ala or Met

RAW SEQUENCE LISTING

DATE: 04/24/2003

PATENT APPLICATION: US/09/747,029B

TIME: 13:55:45

Input Set : A:\INNS031.ST25.txt

Output Set: N:\CRF4\04242003\I747029B.raw

130 <220> FEATURE:
 131 <221> NAME/KEY: MISC_FEATURE
 132 <222> LOCATION: (2)..(2)
 133 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
 or Trp
 135 <220> FEATURE:
 136 <221> NAME/KEY: MISC_FEATURE
 137 <222> LOCATION: (3)..(3)
 138 <223> OTHER INFORMATION: Xaa represents Gly
 140 <220> FEATURE:
 141 <221> NAME/KEY: MISC_FEATURE
 142 <222> LOCATION: (4)..(4)
 143 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
 or Trp
 145 <220> FEATURE:
 146 <221> NAME/KEY: MISC_FEATURE
 147 <222> LOCATION: (5)..(5)
 148 <223> OTHER INFORMATION: Xaa represents Pro or Gly
 150 <220> FEATURE:
 151 <221> NAME/KEY: MISC_FEATURE
 152 <222> LOCATION: (7)..(7)
 153 <223> OTHER INFORMATION: Xaa represents Ser, Thr, Asp or Gly
 155 <220> FEATURE:
 156 <221> NAME/KEY: MISC_FEATURE
 157 <222> LOCATION: (8)..(8)
 158 <223> OTHER INFORMATION: Xaa represents Citrulline, Gly, Ser or Thr
 160 <220> FEATURE:
 161 <221> NAME/KEY: MISC_FEATURE
 162 <222> LOCATION: (9)..(9)
 163 <223> OTHER INFORMATION: Xaa represents Citrulline
 165 <220> FEATURE:
 166 <221> NAME/KEY: MISC_FEATURE
 167 <222> LOCATION: (10)..(10)
 168 <223> OTHER INFORMATION: Xaa represents Gly
 170 <220> FEATURE:
 171 <221> NAME/KEY: MISC_FEATURE
 172 <222> LOCATION: (11)..(11)
 173 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
 or Trp
 175 <220> FEATURE:
 176 <221> NAME/KEY: MISC_FEATURE
 177 <222> LOCATION: (12)..(12)
 178 <223> OTHER INFORMATION: Xaa represents Arg, Lys, His, Asp, Glu, Ser, Thr, Gln, Asn,
 Tyr,
 179 Phe or Trp
 181 <220> FEATURE:
 182 <221> NAME/KEY: MISC_FEATURE
 183 <222> LOCATION: (14)..(14)
 184 <223> OTHER INFORMATION: Xaa represents Gly
 186 <220> FEATURE:
 187 <221> NAME/KEY: MISC_FEATURE
 188 <222> LOCATION: (15)..(15)
 189 <223> OTHER INFORMATION: Xaa represents Tyr, His, Lys, Arg, Asp, Glu, Ser, Thr, Gln,

Asn,

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/747,029B

DATE: 04/24/2003

TIME: 13:55:45

Input Set : A:\INNS031.ST25.txt

Output Set : N:\CRF4\04242003\I747029B.raw

```

190      Phe or Trp
192 <400> SEQUENCE: 2
W--> 194 Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa
195 1          5          10          15
198 <210> SEQ ID NO: 3
199 <211> LENGTH: 14
200 <212> TYPE: PRT
201 <213> ORGANISM: Artificial sequence
203 <220> FEATURE:
204 <223> OTHER INFORMATION: Synthetic Peptides
207 <220> FEATURE:
208 <221> NAME/KEY: MISC_FEATURE
209 <222> LOCATION: (1)..(1)
210 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
or Trp
212 <220> FEATURE:
213 <221> NAME/KEY: MISC_FEATURE
214 <222> LOCATION: (2)..(2)
215 <223> OTHER INFORMATION: Xaa represents Gly
217 <220> FEATURE:
218 <221> NAME/KEY: MISC_FEATURE
219 <222> LOCATION: (3)..(3)
220 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
or Trp
222 <220> FEATURE:
223 <221> NAME/KEY: MISC_FEATURE
224 <222> LOCATION: (4)..(4)
225 <223> OTHER INFORMATION: Xaa represents Pro or Gly
227 <220> FEATURE:
228 <221> NAME/KEY: MISC_FEATURE
229 <222> LOCATION: (6)..(6)
230 <223> OTHER INFORMATION: Xaa represents Ser, Thr, Asp or Gly
232 <220> FEATURE:
233 <221> NAME/KEY: MISC_FEATURE
234 <222> LOCATION: (7)..(7)
235 <223> OTHER INFORMATION: Xaa represents Citrulline, Gly, Ser or Thr
237 <220> FEATURE:
238 <221> NAME/KEY: MISC_FEATURE
239 <222> LOCATION: (8)..(8)
240 <223> OTHER INFORMATION: Xaa represents Citrulline
242 <220> FEATURE:
243 <221> NAME/KEY: MISC_FEATURE
244 <222> LOCATION: (9)..(9)
245 <223> OTHER INFORMATION: Xaa represents Gly
247 <220> FEATURE:
248 <221> NAME/KEY: MISC_FEATURE
249 <222> LOCATION: (10)..(10)
250 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
or Trp
252 <220> FEATURE:
253 <221> NAME/KEY: MISC_FEATURE
254 <222> LOCATION: (11)..(11)

```

RAW SEQUENCE LISTING

DATE: 04/24/2003

PATENT APPLICATION: US/09/747,029B

TIME: 13:55:45

Input Set : A:\INNS031.ST25.txt

Output Set: N:\CRF4\04242003\I747029B.raw

255 <223> OTHER INFORMATION: Xaa represents Arg, Lys, His, Asp, Glu, Ser, Thr, Gln, Asn,
Tyr,
256 Phe or Trp
258 <220> FEATURE:
259 <221> NAME/KEY: MISC_FEATURE
260 <222> LOCATION: (13)..(13)
261 <223> OTHER INFORMATION: Xaa represents Gly
263 <220> FEATURE:
264 <221> NAME/KEY: MISC_FEATURE
265 <222> LOCATION: (14)..(14)
266 <223> OTHER INFORMATION: Xaa represents Tyr, His, Lys, Arg, Asp, Glu, Ser, Thr, Gln,
Asn,
267 Phe or Trp
269 <400> SEQUENCE: 3
W--> 271 Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa
272 1 5 10
275 <210> SEQ ID NO: 4
276 <211> LENGTH: 18
277 <212> TYPE: PRT
278 <213> ORGANISM: Artificial sequence
280 <220> FEATURE:
281 <223> OTHER INFORMATION: Synthetic Peptides
284 <220> FEATURE:
285 <221> NAME/KEY: MISC_FEATURE
286 <222> LOCATION: (1)..(1)
287 <223> OTHER INFORMATION: Xaa represents Ser, Thr, Asp, Glu, Asn, Gln, His, Lys or Arg
289 <220> FEATURE:
290 <221> NAME/KEY: MISC_FEATURE
291 <222> LOCATION: (2)..(2)
292 <223> OTHER INFORMATION: Xaa represents Ser, Thr, Asp, Glu, Asn, Gln, His, Lys or Arg
294 <220> FEATURE:
295 <221> NAME/KEY: MISC_FEATURE
296 <222> LOCATION: (3)..(3)
297 <223> OTHER INFORMATION: Xaa represents Ser, Thr, Asp, Glu, Asn, Gln, His, Lys or Arg
299 <220> FEATURE:
300 <221> NAME/KEY: MISC_FEATURE
301 <222> LOCATION: (4)..(4)
302 <223> OTHER INFORMATION: Xaa represents Ile, Leu, Val, Ala or Met
304 <220> FEATURE:
305 <221> NAME/KEY: MISC_FEATURE
306 <222> LOCATION: (5)..(5)
307 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
or Trp
309 <220> FEATURE:
310 <221> NAME/KEY: MISC_FEATURE
311 <222> LOCATION: (6)..(6)
312 <223> OTHER INFORMATION: Xaa represents Gly
314 <220> FEATURE:
315 <221> NAME/KEY: MISC_FEATURE
316 <222> LOCATION: (7)..(7)
317 <223> OTHER INFORMATION: Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe
or Trp
319 <220> FEATURE:

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/09/747,029B

DATE: 04/24/2003
 TIME: 13:55:46

Input Set : A:\INNS031.ST25.txt
 Output Set: N:\CRF4\04242003\I747029B.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:1; Xaa Pos. 1,2,3,4,5,6,7,8,10,11,12,13,14,15,17,18
 Seq#:2; Xaa Pos. 1,2,3,4,5,7,8,9,10,11,12,14,15
 Seq#:3; Xaa Pos. 1,2,3,4,6,7,8,9,10,11,13,14
 Seq#:4; Xaa Pos. 1,2,3,4,5,6,7,8,10,11,12,13,15,16,17,18
 Seq#:5; Xaa Pos. 1,2,3,4,5,6,8,9,10,11,13,14,15,16
 Seq#:6; Xaa Pos. 1,2,3,4,6,7,8,9,11,12,13,14
 Seq#:7; Xaa Pos. 11,12
 Seq#:8; Xaa Pos. 12
 Seq#:9; Xaa Pos. 11,12
 Seq#:10; Xaa Pos. 11,12
 Seq#:11; Xaa Pos. 11,12
 Seq#:12; Xaa Pos. 11,12
 Seq#:13; Xaa Pos. 7,8
 Seq#:14; Xaa Pos. 7,8
 Seq#:15; Xaa Pos. 7,8
 Seq#:16; Xaa Pos. 8
 Seq#:17; Xaa Pos. 12
 Seq#:18; Xaa Pos. 8
 Seq#:19; Xaa Pos. 8
 Seq#:20; Xaa Pos. 8
 Seq#:21; Xaa Pos. 8
 Seq#:22; Xaa Pos. 10
 Seq#:23; Xaa Pos. 2,3,4,5,6,7
 Seq#:24; Xaa Pos. 2,3,4,5

Invalid <213> Response:

Use of "Artificial" only as "<213> Organism" response is incomplete,
 per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

Seq#:7